



SMART Board® 6000 Pro series

Our most popular interactive display makes meetings more efficient by looping in more minds, insights and perspectives at once.

65" | 75"

Walk in and it turns on

A proximity sensor automatically powers up the SMART Board 6000 when you walk in the room saving time and energy costs.

Pick up a pen and start writing

The intelligent pen tray automatically selects the black or red pen tool, so you don't have to choose it from a menu before writing.

As easy as writing on paper

SMART invented DVIT® (Digital Vision Touch) technology to ensure a smooth writing experience that looks and feels natural.

1-YEAR

SMART Meeting Pro

subscription included
with service plan



Unparalleled Collaborative Experience

Today's workflows are about going beyond communicating to collaborating. SMART has spent 30 years designing hardware and software solutions that work together to create interactive environments.



Multiple users, tools and colors at the same time

Simultaneous Tool Differentiation frees multiple colleagues to write, erase and move notes at the same time. **Pen ID™** recognition and **Object awareness™** detection automatically make pens write in different colors, fingers move and palms erase.



Write and save notes directly into applications


SMART Ink® software lets teams write over videos and into **PDFs, Microsoft Office® files** and websites, then save notes in almost any file type. Automatically convert notes to text and access tools, such as spotlight, magnifier and screen shade.

Built to use. Built to last.

Durable and commercial-grade, SMART Board Pro displays have received many safety, regulatory and environmental certifications, giving you peace of mind that they adhere to government or other regulatory requirements.

-  4K Ultra HD resolution
-  ENERGY STAR® certification
-  Accelerated Life Testing
-  Conflict-free materials and sourcing
-  LED rated for 50,000 hours
-  Regulatory and environmental certifications*
-  Fully heat-tempered, anti-glare glass
-  3-year standard warranty** (1-year on pens)
-  Silktouch™ frictionless surface

*See specification chart for detailed certifications.
 **1- or 2-year extended options available. 5-year standard in UK.



SMART Remote Management lets you efficiently maintain, secure and support all your devices – including SMART Board displays with iQ.

	6265P	6365P	6275P	6375P
SMART Meeting Pro 1 room and 10 personal licenses	1-year subscription included with service plan	1-year subscription included with service plan	1-year subscription included with service plan	1-year subscription included with service plan
SMART TeamWorks	Optional	Optional	Optional	Optional
iQ apps and features	Customizable home screen Digital whiteboard Web browser Native screen sharing File and app libraries	Customizable home screen Digital whiteboard Web browser Native screen sharing File and app libraries	Customizable home screen Digital whiteboard Web browser Native screen sharing File and app libraries	Customizable home screen Digital whiteboard Web browser Native screen sharing File and app libraries
Intel Compute Card with Windows 10 Pro	Upgrade option available	Included. Options available. See smarttech.com/iQ for details.	Upgrade option available	Included. Options available. See smarttech.com/iQ for details.
SMART Remote Management	Optional	Optional	Optional	Optional
DISPLAY				
Screen size (diagonal)	65"	65"	75"	75"
Resolution	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)	4K Ultra HD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz	60 Hz
Aspect ratio	16:9	16:9	16:9	16:9
Back lighting	e-LED	e-LED	e-LED	e-LED
LED lifespan	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours	Commercial-grade – 50,000 hours
LCD quality	Grade A	Grade A	Grade A	Grade A
Contrast ratio	1200:1	1200:1	5000:1	5000:1
Brightness	338 cd/m ²	338 cd/m ²	360 cd/m ²	360 cd/m ²
Response time	8 ms	8 ms	8 ms	8 ms
Glass	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare	Fully heat-tempered, anti-glare
TOUCH AND DIGITAL INK				
Touch technology	DViT	DViT	DViT	DViT
Simultaneous Tool Differentiation	✓	✓	✓	✓
Object awareness	✓	✓	✓	✓
Pen ID	✓	✓	✓	✓
SMART Ink	✓	✓	✓	✓
Silktouch	✓	✓	✓	✓
Simultaneous touch points	8 (Windows and Mac)	8 (Windows and Mac)	8 (Windows and Mac)	8 (Windows and Mac)
Tools included	2 pens (black, red)	2 pens (black, red)	2 pens (black, red)	2 pens (black, red)
IQ APPLIANCE				
Model	AM40	AM50	AM40	AM50
Operating system	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat	Android 7.1 Nougat
Processor	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2GHz	RK3399, Dual-core A72 + Quad-core A53, 64 bits, 2GHz
Memory	4 GB	4 GB	4 GB	4 GB
Storage	32 GB	32 GB	32 GB	32 GB
Wireless technology	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac	Bluetooth 4.1 802.11A/B/G/N/Ac
Connectors	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet	HDMI 1.4 out USB 3.0 Type-A (x2) RJ45 Gigabit Ethernet
CONNECTIVITY				
Wired	RJ45	RJ45	RJ45	RJ45
Wi-Fi	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)	IEEE 802.11A/B/G/N/Ac with 2 × 2 MIMO (both 2.4 and 5 GHz bands)
Bluetooth	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)	4.0 dual mode (backwards compatible with Bluetooth 2.1 + EDR)
INPUTS/OUTPUTS				
Front control panel	Standby, input select, mute/freeze frame, volume	Standby, input select, mute/freeze frame, volume	Standby, input select, mute/freeze frame, volume	Standby, input select, mute/freeze frame, volume
Video	HDMI 1.4 (x2), Display Port	HDMI 1.4 (x2), Display Port	HDMI 1.4 (x2), Display Port	HDMI 1.4 (x2), Display Port
Audio	Stereo 3.5 mm out	Stereo 3.5 mm out	Stereo 3.5 mm out	Stereo 3.5 mm out
USB	Type-A, Type-B (touch) (x3)	Type-A, Type-B (touch) (x3)	Type-A, Type-B (touch) (x3)	Type-A, Type-B (touch) (x3)
Other	OPS slot, RS-232 in	OPS slot, RS-232 in	OPS slot, RS-232 in	OPS slot, RS-232 in
Speakers	10 W integrated speakers (x2)	10 W integrated speakers (x2)	10 W integrated speakers (x2)	10 W integrated speakers (x2)
POWER				
Power consumption (display only)	1.4 W standby, 108 W normal	1.4 W standby, 108 W normal	1.7 W standby, 130 W normal	1.7 W standby, 130 W normal
ENERGY STAR certified	✓	✓	✓	✓
Presence detection	One sensor	One sensor	One sensor	One sensor
INSTALLATION				
Dimensions	59 3/8" × 36 3/8" × 5 1/8" (150.8 cm × 98.3 cm × 12.9 cm)	59 3/8" × 36 3/8" × 5 1/8" (150.8 cm × 98.3 cm × 12.9 cm)	68 1/8" × 43 3/8" × 4 3/4" (173.1 cm × 110.2 cm × 12 cm)	68 1/8" × 43 3/8" × 4 3/4" (173.1 cm × 110.2 cm × 12 cm)
Weight	134 lb. (60.9 kg)	134 lb. (60.9 kg)	185 lb. (84 kg)	185 lb. (84 kg)
VESA mounting points	300 mm × 400 mm	300 mm × 400 mm	600 mm × 400 mm	600 mm × 400 mm
CERTIFICATION AND COMPLIANCE				
Regulatory certifications	UL (U.S./Canada), FCC, IC, CE, EAC, RCM, SPRING, PSE	UL (U.S./Canada), FCC, IC, CE, EAC, RCM, SPRING, PSE	UL (U.S./Canada), FCC, IC, EMC, LV, VCCI, PSE	UL (U.S./Canada), FCC, IC, EMC, LV, VCCI, PSE
Environmental compliance	EU: REACH, RoHS, WEEE and Packaging; U.S.: Packaging and Conflict Minerals	EU: REACH, RoHS, WEEE and Packaging; U.S.: Packaging and Conflict Minerals	EU: REACH, RoHS, WEEE and Packaging; U.S.: Packaging and Conflict Minerals	EU: REACH, RoHS, WEEE and Packaging; U.S.: Packaging and Conflict Minerals
Full HDMI and USB compliance	✓	✓	✓	✓
Accelerated life testing	✓	✓	✓	✓
Conflict-free minerals and sourcing	✓	✓	✓	✓